



550 Paracord Bracelet Olive Drab Regen



Product price:

€7.50 tax included

Product codes:

Reference: Art. 1823 OD
EAN13: 0658606550605
UPC: 658606550605

Product features:

Product short description:

The Olive Drab Paracord Bracelet 550 Regen (Braccialetto Paracord Verde Oliva) is a versatile, durable accessory for outdoor enthusiasts and everyday wear. Made from high-quality paracord, it provides reliable construction and a rustic, understated look that pairs well with casual and tactical outfits.

- **Material:** High-quality paracord for long-lasting use and everyday reliability.
- **Color:** Olive drab that easily matches outdoor gear and casual clothing.
- **Use:** Ideal for hiking, camping, or as a practical everyday accessory.
- **Design:** Rugged, compact style combining utility with simple elegance.

Product description:

Product overview

The Braccialetto Paracord Verde Oliva 550 Regen is a durable paracord bracelet designed for outdoor enthusiasts, tactical users, and everyday carry (EDC). It combines a discreet olive drab look with a practical emergency cord that can be quickly deployed when needed.

Definition: a wearable paracord bracelet that converts into a 2.5 m emergency cord with seven inner nylon strands and a rated holding capacity of 250 Kg.



Main features

Compact, functional, and suited for tactical, military surplus, or police duty use where a lightweight emergency cord is useful.

- **High-strength paracord:** 550 Regen paracord with seven inner nylon strands.
- **Load capacity:** Rated holding capacity of 250 Kg.
- **Convertible length:** Detachable design converts to approximately 2.5 meters of usable cord.
- **Wrist size:** Bracelet measures 23 cm around the wrist when assembled.
- **Olive drab finish:** Low-profile color suitable for outdoor, tactical, and everyday wear.

How to use / When it's useful

Use the bracelet as a regular accessory and remove it when you need a short emergency rope: unclip or unravel the closures to access the full length of cord. It is useful for light lashing, tying gear, temporary repairs, and improvised shelter lines.

Quick answer: unclip the bracelet to obtain a 2.5 m cord. In most cases, the 250 Kg capacity and seven nylon strands make it suitable for general emergency and EDC tasks, but not for certified life-safety or climbing applications.

Care and notes

Keep the paracord in good condition by inspecting it regularly and avoiding prolonged exposure to harsh chemicals or sharp edges.

- Inspect cord and closures before use; discard if frayed or damaged.
- Clean with mild soap and water; air dry fully before storage.
- Not a substitute for certified climbing or rescue equipment—do not use for life-critical load-bearing situations.
- Store away from direct sunlight and corrosive chemicals to preserve strength.

FAQ

Q: How long is the bracelet when unraveled?

A: When removed from the closures, the bracelet provides approximately 2.5 meters of usable cord for emergency or general-purpose use.

Q: What is the holding capacity of the paracord?

A: The inner construction includes seven nylon strands and the cord is rated for a holding capacity of 250 Kg.



Q: What wrist size does the bracelet fit?

A: The assembled bracelet measures about 23 cm around the wrist. It is compact and intended for most adult wrist sizes.

Q: Is the bracelet suitable for daily wear?

A: Yes. The olive drab color and low-profile design make it suitable for everyday carry, tactical use, and casual wear.

Q: How do I deploy the cord in an emergency?

A: Unclip or unravel the bracelet's closures to extract the full length of paracord quickly; use the cord for tying, lashing, or temporary fixes.

Q: Are there other color options available?

A: This listing is for the olive drab variant. Availability of other colors may vary—check the store for current options.

Tip: Choose the correct wrist variant and check the cord condition before use. Browse related tactical and military surplus accessories to complete your EDC or duty kit.

Product attributes:

Product gallery:

